#### POSTSURGICAL MENISCAL REPAIR REHABILITATION PROTOCOL:

This is an outline of the major exercises that are commonly incorporated. Individual patient response should be considered and therefore modifications may need to be made. Communication should be made to the Surgeon if concerns arise during rehabilitation.

The overall goals of the rehabilitation is to:

- ✓ Control joint pain, swelling, hemarthrosis (minimal or none).
- ✓ Regain normal knee flexion and extension.
- ✓ Regain a normal gait pattern and neuromuscular stability for ambulation.
- ✓ Regain normal quadriceps, hamstring lower extremity muscle strength.
- ✓ Regain normal proprioception, balance, and coordination for desired activities.
- ✓ Achieve optimal functional outcome based on orthopaedic and patient goals.

# POSTOP DAYS 1 7 (20REPS)

### GOALS:

- ✓ Pain reduction.
- ✓ Full passive extension.
- √ Flexion 0 to 45 degrees.
  - o Good quad control.
  - Ankle toe movements/ calf pumping.
  - o Isometric quads.
  - O Gradually pain free passive assisted knee bending 045 degrees.
  - o Passive knee extension.
  - Straight leg raise (SLR).
  - o Abduction and adduction ROM at hip.
  - o Ice Pack application 15mins every 3hours with knee in full extension, compression and elevation.
  - O Walking on walker non weight bearing for 3 weeks.

# DAYS 8 - 14 (20REPS)

## GOALS

- ✓ ROM 456 0 degrees.
- ✓ No effusion.
- ✓ No extensor lag.
  - Ice application as prescribed.
  - O Active assisted knee bending 45 60 degrees.
  - o Active knee extension.
  - o Active dynamic knee extension edge of the bed (900 degrees).
  - o Isometric quads and dynamic VMO strengthening.
  - o SLR
  - o Glutes, hip abductor and adductors strengthening.
  - Walking with walker non weight bearing.

## Orthopaedic Arthroscopy Knee & Shoulder Clinic (OAKS)

Let's Begin to Live Again...

### WEEKS 2 – 3 (accordingly)

### GOAL:

- ✓ ROM 60 to 90.
  - O Active knee bending 6090 degrees.
  - o Continue appropriate previous exercises.

## WEEKS 3 – 6 (accordingly)

### GOALS:

- ✓ ROM to 90120 degrees.
- ✓ Walking with walker partial to full weight bearing.
  - o Ice application as prescribed.
  - o Active knee bending 90 120 degrees.
  - o Active knee extension.
  - o Active dynamic knee extension edge of the bed (900 degrees).
  - o Isometric quads and dynamic VMO strengthening.
  - o SLR
  - o Glutes, hip abductor and adductors strengthening.
  - Heel and toe raises.
  - o Walking with walker partial to full weight bearing,long knee brace (45 weeks).
  - o Walking with tripod full weight bearing, hinge knee brace (56 weeks).
  - o Staircase climbing.

### **WEEKS 6 – 8**

# GOALS:

- ✓ Full painless ROM.
- ✓ Normal Gait.
  - o Active full range knee bending.
  - Cocontraction quads and hamstring.
  - o Continue appropriate previous exercises.
  - o Mini squats and wall squats 045degrees.
  - o Standing SLR and hip movements with light Theraband bilaterally.
  - o Forward, lateral and retro step downs in parallel bars
  - o Walking without support with hinge knee brace.

## **WEEKS 8 – 10**

# GOAL:

- ✓ Walk 2 miles at 15 min/mile pace.
  - o D/C Brace.

# Orthopaedic Arthroscopy Knee & Shoulder Clinic (OAKS)



Specialist in Joint Replacement, Arthroscopy & Sports Injury

Let's Begin to Live Again...

- o Continue appropriate previous exercises.
- Wall squats 090 degrees.
- Proprioceptive training Single leg BAPS, ball toss and body blade.
- o Stationary bike 1015 minutes at a time.
- o Treadmill Walking progression program.
- o Elliptical trainer.
- o Pool therapy Walking / running (no kicking)

## **WEEKS 10 - 12**

### GOAL:

- ✓ Walk 3 miles at 15 min/mile pace.
  - O Continue appropriate previous exercises with progressive resistance.
  - O Fitter.
  - O Slide board.
  - O Proprioceptive training Grid exercises.
  - O Functional activities Figure 8s, gentle loops, large zigzags.
  - O Stairmaster Small steps.
  - O Pool therapy No swimming laps.
  - Quad stretches.

## MONTHS 3-4

### GOAL:

- ✓ Run 2 miles at easy pace.
  - o Isokinetic testing at 180 and 300 degrees/sec.
  - o Must have 80% of opposite leg to clear for straight line running.
  - o Continue appropriate previous exercises.
  - o Knee extension weight machine.
  - o Short arc quads.
  - o Agility drills / Plyometrics.
  - o Treadmill Running progression program if cleared.
  - o Pool therapy Swimming laps.

## MONTHS 4 - 6

## GOAL:

- ✓ Return to all activities.
  - Repeat Isokinetic testing as needed.
  - Continue appropriate previous exercises.
  - o Situp progression.
  - o Running progression to track.
  - o Transition to home / gym program.

# Orthopaedic Arthroscopy Knee & Shoulder Clinic (OAKS)