Specialist in Joint Replacement, Arthroscopy & Sports Injury

Let's Begin to Live Again...

POSTSURGICAL PCL REHABILITATION PROTOCOL:

This is an outline of the major exercises that are commonly incorporated. Individual patient response should be considered and therefore modifications may need to be made. Communication should be made to the Surgeon if concerns arise during rehabilitation.

The overall goals of the reconstruction and rehabilitation are to:

- ✓ Control joint pain, swelling, hemarthrosis (minimal or none).
- ✓ Regain normal knee flexion and extension.
- ✓ Regain a normal gait pattern and neuromuscular stability for ambulation.
- ✓ Regain normal quadriceps, hamstring lower extremity muscle strength.
- ✓ Regain normal proprioception, balance, and coordination for desired activities.
- ✓ Achieve optimal functional outcome based on orthopaedic and patient goals.

POSTOP DAYS 1 – 7 (20 REPS)

GOALS:

- ✓ Pain reduction
- ✓ AAROM 045 degrees.
 - o Good quad control.
 - O Brace x 3 months Locked in extension x 2 weeks.
 - Walking with walker using long knee brace.
 - O AAROM 045 degrees pain free knee bending.
 - O Calf pumping/ Ankle toe exercise.
 - O Passive extension to 0 degrees, no hyperextension.
 - o Isometric quads, Cocontractions quads / Hamstrings.
 - O Straight leg raise (SLR) assited with brace on.
 - o Hip abduction and adduction.
 - o Pillow under the proximal posterior tibia to prevent posterior sag.
 - o Ice Pack application 15mins every 3hours with knee in full extension, compression and elevation.

DAYS 8 - 14 (20 REPS)

GOALS:

- ✓ AAROM 4560 degrees.
- ✓ Good quad control.
- ✓ Walking with tripod.
 - o Same as above.
 - Glutes activation.
 - o Calf strengthening.
 - o Knee extension edge of the bed.
 - Walking with tripod and staircase climbing.
 - o Ice application as prescribed.

Weeks 2 - 4

GOALS:

✓ AAROM 60 90degrees.

Orthopaedic Arthroscopy Knee & Shoulder Clinic (OAKS)



Specialist in Joint Replacement, Arthroscopy & Sports Injury

Let's Begin to Live Again...

- ✓ No extensor lag.
 - O Hinge/Functional knee brace as per your surgeon.
 - O Continue appropriate previous exercises.
 - O AAROM 6090 degrees.
 - o No Hamstring curls or Stationary bike x 8 weeks
 - O Scar mobilsation when incision healed.
 - o Double leg heel raises in brace (supported in parallel bars)
 - Weight shifts, Mini squats 030 degrees, in brace (supported in parallel bars)

WEEKS 4-6

GOALS:

- ✓ AAROM 90110 degrees.
- ✓ No effusion.
 - O Continue appropriate previous exercises.
 - AROM by patient 110 degrees.
 - O No Hamstring curls or Stationary bike x 8 weeks.
 - o Multiangle Cocontractions quads / HS at 0, 20, 40, 60 degrees
 - O SLR on mat, out of brace, no weights.

WEEKS 6 - 8

GOAL:

- ✓ AAROM 125 to full degrees.
 - O Re educating gait pattern and D/C tripod.
 - O Continue appropriate previous exercises and the following ex without brace.
 - O No Hamstring curls or Stationary bike x 8 weeks.
 - O SLR on mat with light weight below the knee.
 - O SAQ 030 degrees with light ankle weights.
 - O Double leg heel raises.
 - O Wall squats 045 degrees.
 - O Forward, retro and lateral step downs in parallel bars (small step).
 - O Proprioceptive training Single leg standing in parallel bars.
 - O Elliptical trainer No resistance.

WEEKS 8 - 12

GOALS:

- ✓ Full painfree ROM.
- ✓ Normal Gait.
 - o Continue appropriate previous exercises
 - o Forward, retro and lateral step downs medium step
 - o Single leg heel raises
 - O Hamstring curls 060 degrees, in prone.
 - o Progress to weight machine, 060 degrees (up to 1/4 body weight)

Orthopaedic Arthroscopy Knee & Shoulder Clinic (OAKS)

Let's Begin to Live Again...

- Stationary bike for ROM No resistance
 Treadmill Forwards and backwards walking
- o Elliptical Trainer with minimal resistance
- o Pool therapy Walking / running (no kicking)

MONTHS 3-4

GOALS:

- ✓ Walk 2 miles at 15 min/mile pace.
 - O Continue appropriate previous exercises with progressive resistance.
 - O PROM, AAROM, AROM to regain full motion.
 - O Leg press with resistance as tolerated.
 - O Hamstring curl with low weight and high reps.
 - O Knee extension weight machine through full range with resistance as tolerated.

Specialist in Joint Replacement, Arthroscopy & Sports Injury

- O Stationary bike Progressive resistance and time.
- O Elliptical trainer for progressive resistance and time.
- O Treadmill Walking progression program.
- O Pool therapy Swimming laps.

MONTHS 4-6

GOALS:

- ✓ Run 2 miles at easy pace.
- ✓ Return to all activities.
 - O Continue appropriate previous exercises.
 - O Agility drills / Plyometrics.
 - O Situp progression.
 - O Treadmill Running progression program.
 - O Quad stretches.
 - O Transition to home / gym program.